


# AWL WALL LOUVERS GALVANIZED STEEL



# GRAVITEC THERMODYNAMIC NATURAL VENTILATION SPECIFICATION

## 1. GALVANIZED STEEL 6" DEEP, 45° ADJUSTABLE BLADES



- MAXIMUM PANEL SIZE 96" (HEIGHT) x 60" (WIDTH)
- MINIMUM PANEL SIZE 12" (HEIGHT) x 12" (WIDTH)
- DIMENSIONS "A" (WIDTH) AND "B" (HEIGHT) ARE OPENING SIZE.
- LOUVER ARE MADE ¼" UNDERSIZE

# AIR-THERM INC.

## CONTACT

PHONE:  
+1-514-482-2067

WEBSITE:  
[www.air-therm.com](http://www.air-therm.com)

EMAIL:  
[info@air-therm.com](mailto:info@air-therm.com)

ITEM NO:		
TAG		
QUANTITY		
"A" WIDE OPENING [IN]		
"B" HIGH OPENING [IN]		
NO. OF PANELS (WIDE x HIGH)		
OPTIONS	SILL EXTENSION	
	SPECIAL SCREEN	
	INSECT SCREEN	
COMMENTS		
OPTIONAL ACTUATOR		
SPECIAL FINISH		


- FRAME: 6" DEEP CHANEL, 16 GA GALVANIZED STEEL
- BLADES: 20 GA GALVANIZED STEEL
- AXLES: ½" DIAMETER ALUMINIUM
- BEARINGS: DELRIN BUSHING
- LINKAGE: PLATED STEEL HIGH BRACKET, 5/16" DIA.  
PLATED STEEL LINKAGE ROD
- SCREEN: (OPTIONAL) LOCATED ON EXTERIOR
- DRIVING: 1) ACTUATOR (MECHANICAL) OR  
2) CHAIN (MANUAL).
- INDUSTRIAL QUALITY HARDWARE

# FWL WALL LOUVERS GALVANIZED STEEL



# GRAVITEC THERMODYNAMIC NATURAL VENTILATION SPECIFICATION

## 2. GALVANIZED STEEL 6" DEEP, 45° FIXED BLADES



- MAXIMUM PANEL SIZE 96" (HEIGHT) x 144" (WIDTH)
- MINIMUM PANEL SIZE 12" (HEIGHT) x 12" (WIDTH)
- DIMENSIONS "A" (WIDTH) AND "B" (HEIGHT) ARE OPENING SIZE.
- LOUVER ARE MADE 1/4" UNDERSIZE

# AIR-THERM INC.

### CONTACT

PHONE:  
+1-514-482-2067

WEBSITE:  
[www.air-therm.com](http://www.air-therm.com)

EMAIL:  
[info@air-therm.com](mailto:info@air-therm.com)

ITEM NO:		
TAG		
QUANTITY		
"A" WIDE OPENING [IN]		
"B" HIGH OPENING [IN]		
NO. OF PANELS (WIDE x HIGH)		
OPTIONS	SILL EXTENSION	
	SPECIAL SCREEN	
	INSECT SCREEN	
COMMENTS		
OPTIONAL ACTUATOR		
SPECIAL FINISH		

- FRAME: 6" DEEP CHANEL, 16 GA GALVANIZED STEEL
- BLADES: 20 GA GALVANIZED STEEL
- FINISH: MILL
- SCREEN: (OPTIONAL) LOCATED ON EXTERIOR
- INDUSTRIAL QUALITY HARDWARE